



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 1999 Dodge

Type: Ram 2500 Laramie SLT 4 x 4, Quad cab pickup

with trailer

Driver: 40-year-old male

CDC: 12-FDEW-1

Veh. (B): 1999 Ford

Type: Escort ZX2, 2-door coupe

Driver: 18-year-old male CDC: 02-RZAW-3

SITUATION

(Slide 1) It was dark, the street lights were on, the skies were cloudy, and (slide 2) the 5-lane east-west, asphalt road surface was dry and free of defects. Case vehicle (A) was traveling west in the right westbound lane and was towing a utility trailer. (Slide 3) Vehicle (B) was stopped facing east at a traffic light in the center turn lane of the east-west road, and the driver was waiting to make a left turn at an intersection with a north-south road. As case vehicle (A) approached the intersection, the traffic signal turned yellow and vehicle (B) pulled out and made a left turn in front of case vehicle (A). The driver of case vehicle (A) was unable to stop the vehicle in time and the front of case vehicle (A) struck the right side of vehicle (B). The right-front, left-rear, and right-rear passengers of vehicle (B) were ejected from the vehicle. All occupants of case vehicle (A) and vehicle (B) were transported by ambulance to a local area hospital. The right-rear passenger of vehicle (B) was admitted to the hospital for four days, the right-front passenger of case vehicle (B) was held over night for observation. All other occupants of both vehicles were treated and released.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 4) Damage to case vehicle (A) was minor. (Slide 5) The maximum crush was 22 cm at the left center of the front bumper. Direct damage began at the right bumper corner and extended 153 cm to the left, resulting in 81-percent vehicle overlap.

(Slide 6) Damage to vehicle (B) was moderate. (Slide 7) Direct damage to vehicle (B) began 103-cm rear of the front axle and extended 199 cm down the right side to the quarter panel. Direct damage included the roof side rail, and the upper B- and C-pillars. The maximum crush was measured at 46 cm just rearward of the right B-pillar. (Slide 8) The right wheelbase of vehicle (B) was increased 4 cm. There was no significant change in the left wheelbase of vehicle (B).

Using the WinSMASH accident-reconstruction program, and crush profiles measured for (slides 9, 10, 11 and 12) case vehicle (A) and (slides 13, 14, 15 and 16) vehicle (B), the following impact severities were calculated:

		Calculated Velocity Change - kph (mph)			
Vehicle	Variable	Total	Longitudinal	Latitudinal	
Case vehicle (A)	EBS	19 (12)	-19 (-12)	3 (2)	
Vehicle (B)	EBS	24 (15)	-12 (-7)	-21 (-13)	

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

In the front, (slide 17) the bumper, the grille, the hood, and both headlight assemblies were damaged. The hood latch was damaged and jammed closed. There was no other damage to the front of the vehicle. The windshield was not damaged.

On the right side, (slide 18) the fender was damaged. (Slide 19) Both right-side doors were operational and (slides 20 and 21) there was no change in the wheelbase. The right-side glazing was not damaged.

(Slide 22) On the left side, the fender was damaged. (Slide 23) Both left-side doors were operational and (slides 24 and 25) there was no change in the wheelbase. The left-side glazing was not damaged.

(Slide 26) There was no damage to the rear of the vehicle, and (slide 27) no damage to the cargo bed. The backlight was not damaged.

Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags, and (slides 28, 29, 30 and 31) both deployed. (Slides 32, 33, 34 and 35) There was no damage to the steering-wheel or (slides 36 and 37) the passenger airbag module covers. (Slides 38 and 39) There was no damage to the steering-wheel rim or (slides 40 and 41) spokes, and no deflection of the steering column. (Slide 42) There was a small tear in the panel above the glove box. (Slides 43, 44, 45, 46, 47, 48, 49 and 50) There was no other damage.

OCCUPANT KINEMATICS AND INJURIES

The 6-ft, 3-in, 225-lb, 40-year-old male driver was wearing the three-point belt, and (slide 51) the frontal-impact airbag deployed. There were no witness marks on the plastic shoulder belt guide, (slide 52) but there were scratches on the metal latch plate that indicate general belt use.

On impact, the driver moved forward into the 3-point belt and airbag. He sustained strains to his neck and back, probably due to impact forces. (Slide 53) Although there were scuff marks on the plastic knee bolster cover, no injuries were reported that could be associated with these contact marks.

The 14-year-old male right-front passenger was wearing the three-point belt, and (slide 54) the frontal-impact airbag deployed. (Slide 55) There were no witness marks on the plastic shoulder belt guide, (slide 56) but there were scratches on the metal latch plate that indicate general belt use.

On impact, the right-front passenger moved forward into the 3-point belt and airbag. (Slide 57) His knees contacted the knee bolster/glove box as evidenced by two scuf fmarks. He sustained an abrasion to his left knee from this contact but no injury was reported to the right knee. He sustained a contusion to his right forearm possibly from the airbag flinging his arm into the interior pane of the right-side door, although no contact marks were found on the interior door panel.

The following tables and attached drawings (slides 58 and 59) summarize the injuries for the two occupants of case vehicle (A).

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 40 years Stature: 191 cm (6 ft, 3 in)

Gender: Male

Mass: 102 kg (225 lb)

Injury Description	A.I.S.	Definite	Injury Source Probable	Possible
Cervical strain	1		Impact force	
Lumbar strain	1		Impact force	
Thoracic strain	1		Impact force	
Maximum A.I.S. Level	1			
Injury Severity Score	3			

Occupant: Right front Restraints: 3-point belt worn; airbag deployed

Age: 14 years Stature: Unknown

Gender: Male Mass: Unknown

,			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Contusion, right forearm	1		·	Right interior door panel (airbag fling)
Abrasion, left knee	1		Knee bolster (glove box)	
Maximum A.I.S. Level	1 1			
injury Severity Score	1			

Duplicate columns 1-8 Module <u>G</u> <u>I</u> Format <u>(</u> from the previous card. 9 10 1	0 2	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION	_	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE (1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	33 1 34
ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	<u>O</u> 28	(9) UNKNOWN SURFACE COVERING (10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN VISIBILITY LIMITATION	1 0 37
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE . TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	<u>H</u> 30	(FOR CASE VEHICLE) (0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	36
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u>O</u> 32	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER:	<u>O</u> 39

		GENERAL IN	NFORMATION (GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	40	MECHANICAL MALFUNC WAS THERE MENTION OF A MECHANICAL MA IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTI TO ACCIDENT (9) UNKNOWN	LFUNCTION	Q 46
PRECIPITATION (0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	Ø 41 8 42	THE FOLLOWING SECTION SHOOUT IF A MECHANICAL MALFUN RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUP ITEMS CIRCLED WITH COMMEN. BRAKE SYSTEM EXHAUST SYSTEM STEERING SYSTEM SUSPENSION SYSTEM ELECTRICAL SYSTEM THROTTLE CONTROLS OTHER: COMMENTS:	PORT ANY VITS. DRIVER CONTE POWER TRAIN FUEL SYSTEM VISIBILITY ITEM TIRES UNKNOWN	//S
(5) 6 TO 15	4 45			

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT	<u>O</u> 48	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	55
(3) YES, SEQUENCE UNKNOWN (9) UNKNOWN CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	DRIVER IMPAIRMENT DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/	<u>O</u> 56
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	50	NO DRIVER DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	8 0
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	51	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	<u>O</u> 59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>ð</u>	LIST IMPAIRMENTS MENTION	NED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	53	Post - Crash Detail MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	54	 (1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN 	2 8

when vehicle (B) turned into its path. Case (A) was unable to stop in time and stru Right side of vehicle (B) with its from	vehicle OTHER VEHICLE (B): 1999 Fond Escont
	NORTH
B2 A2	A1
B1 D	
	Traffic Signal: Yellow for both vehicles

Duplicate columns 1-8 from the previous card. Module O V Format 0 4 11 12	OTHER VEHICLE	OV-1
MAKE: Fond	CARGO:	
MODEL: Escout ZXZ, 2-doon coup		
VIN 3 FAKP1135	X R 00000	
MANUFAC/BODY CODE $\frac{9}{30} \frac{422}{3} \frac{2}{3} \frac{6}{34}$	VEHICLE TYPE PASSENGER VEHICLE	
MAKE/MODEL CODE D 2 1 9 38	(02) LARGE (03) LIMOUSINE (17) PICKUP CAR	<u>Z</u> 6
MODEL YEAR	(20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT	
VEHICLE MASS (kg) 0 0 1 1 3 9 48	(28) INTERMEDIATE (29) FULL	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) D 4	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER	
TRAVELING SPEED (km/h) 4 4 5	TRUCK	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	(11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK	
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	(38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS	
(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE	(40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS)	
(NOT APPLICABLE) (9) UNKNOWN	(68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER)	
	(99) UNKNOWN	250
	WHEELBASE (cm) (999) UNKNOWN	58 59 60

Duplicate columns 1-8 from the previous card. Module O V Format 0 2 11 12

OTHER VEHICLE

OV-2

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

Average Track Width 13 4 4 cm

Undeformed End Width (UEW)

Engine Displacement


 $\frac{2}{31} \cdot \frac{0}{32}$

Overall Length $\frac{4}{9} \frac{4}{9} \frac{5}{5}$ cm Overall Width (OAW) $\frac{1}{19} \frac{7}{9} \frac{1}{19}$ cm

Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS



to right side

at latch/striker mechanism

FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

 $\frac{9}{35} \frac{9}{9} \frac{9}{37} \text{ cm}$

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u>

Duplicate columns 1-8 Module V D Format 0 4 from the previous card.	Vehicle Description VD-1	
MAKE: Podge MODEL: Apr 2500 LALAPIESLT YXY, G PICKUP WITH TRAILER	CARGO:	_
·	29 X 5 0 0 0 0 0	<u>)</u>
MANUFAC/BODY CODE 1 3 2 1 2	STOLEN VEHICLE	
MAKE/MODEL CODE 3 2 3 5	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	-
MODEL YEAR	(a) DUKUOMU	
VEHICLE MASS (kg) 0 0 2 9 7 48	BODY STRUCTURE (1) BODY & FRAME	L
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) NUMBER OF OCCUPANTS ODOMETER (km) (ENTER 9'S IF UNKNOWN) 49 54	(2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME (E.G. VW BUG) (5) PARTIALLY UNITIZED	
(ENTER 9'S IF UNKNOWN) 56	(5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	-
VEHICLE TYPE	LOCATION OF TRANSMISSION	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH.: (19) PASSENGER VEHICLE, TYPE UNKNOWN	3 SELECTOR LEVER (1) FLOOR (2) CONSOLE (3) COLUMN (7) OTHER: (9) UNKNOWN	-
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO) (22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	STEERING (1) POWER (2) MANUAL (9) UNKNOWN	Ī
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE (99) UNKNOWN	BRAKES (1) POWER (2) MANUAL (9) UNKNOWN	-

•

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<u>2</u>	WHEELBASE (cm) (999) Unknown 3 5 2 76 77 7
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN	Q .	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE
AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70	(7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS	1 71	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.
(0) NO (1) YES (9) UNKNOWN	72	2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE
ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3	EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN	74	FRONT OR REAR
TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	75	ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card. Module V D Format 0 2 9 10 11 12

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

$$\begin{array}{c|c} 0 & 9 & 7 & cm \\ \frac{1}{25} & 3 & \frac{1}{27} & cm \end{array}$$

$$\frac{1}{13} \frac{7}{7} \frac{5}{15}$$
 cm

Undeformed End Width (UEW) $\frac{1}{28}$ $\frac{6}{30}$ cm

Average Track Width
$$\frac{1}{13} \frac{7}{6} \frac{5}{9}$$
 cm

Overall Length $\frac{5}{16} \frac{6}{9} \frac{9}{18}$ cm


Engine Displacement

Overall Width (OAW) _______ cm

Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

$$\frac{1}{35} \frac{5}{37} cm$$

Front-End Overlap (Percent) = DDL

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

Duplicate columns 1-8 from the previous card. Module D A 10	Format <u>0</u> <u>2</u> 11 12	Damage DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	<u>9</u> 9 9	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$
ESTIMATED BY	17	<u>(</u>
CRUSH (cm)	$\frac{0}{18} \frac{2}{19} \frac{2}{20}$	<u>0</u> <u>4</u> <u>6</u>
CDC #1	$\frac{1}{21} \frac{\mathbf{Z}}{\mathbf{F}} \cdot \frac{\mathbf{F}}{\mathbf{D}} \cdot \frac{\mathbf{E}}{\mathbf{W}} \cdot \frac{\mathbf{I}}{27}$	02.R2AW.3
CDC #2	98.0000.0	9 8.0000.0
Duplicate columns 1-8 from the previous card. Module D A 9 10	Format <u>0</u> <u>3</u>	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21 27	42 48
CDC #2	28	49 55
Codes		
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN	(1) INVESTIGATOR (2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	CDC
(998) NOT APPLICABLE (999) UNKNOWN	SPECIFY:	(9800000) NOT APPLICABLE (9900000) UNKNOWN

Module <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 12 DA-2 DAMAGE Duplicate columns 1-8 from the previous card. MAXIMUM SHEET METAL CRUSH (999) UNKNOWN (cm) $\frac{0}{13}$ $\frac{2}{15}$ **FRONT** RIGHT SIDE <u>O</u> <u>O</u> <u>O</u> **REAR** LEFT SIDE 000 ROOF **OTHER** CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL. (0) NO (1) YES IMPACT LOCATION **IMPACT OBJECT/VEHICLE EVENT NUMBER** CONFIGURATION CONTACTED (1) ON ROADWAY FOR CODES, SEE TABLE FOR CODES, SEE TABLE (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE ON PAGE DA-3. ON PAGE DA-4. (4) OUTSIDE ROADSIDE **RIGHT-OF-WAY** (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN # 1 #2 37 #3 #4 #5 #6 57 59 #7 62

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T) (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T) (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND <u>OBJECT</u>
 (49) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

OTHER.

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

DA-4 DAMAGE

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT

OTHER (DESCRIBE)

(99)

UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

SUB-MINI < 2286 mm (< 90")

MINI 2286 - 2412 mm (90" - 94.9")

2413 - 2539 mm (95" - 99.9") SUB-COMPACT

2540 - 2666 mm (100" - 104.9") COMPACT 2667 - 2793 mm (105" - 109.9") INTERMEDIATE

2794 - 2920 mm (110" - 114.9") FULL

2921 - 3174 mm (115" - 124.9") LARGE LIMOUSINE > 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (30) UNANOWN THUCK TYPE
 (31) CHASSIS-MOUNTED CAMPER
 (33) DELIVERY VAN (WALK-IN)
 (34) STRAIGHT TRUCK

- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc (52) 76 - 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE) (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN) (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Module <u>C</u> <u>R</u> Format <u>0</u> <u>1</u> 12 CRASH RECONSTRUCTION CR-1 Duplicate columns 1-8 from the previous card. for ΔV CASE VEHICLE PRIMARY IMPACT CASE VEHICLE SECONDARY IMPACT CASE CONTACTED CASE CONTACTED **VEHICLE VEHICLE VEHICLE VEHICLE EVENT NUMBER** $\Delta V (km/h)$ TOTAL 66 67 68 48 49 50 LONGITUDINAL* 54 72 LATERAL* 58 76 NOTE: THESE AV COMPONENTS MUST INCLUDE SIGN. EXAMPLES: 10 km/h = ± 0 1 0 -7 km/h = <u>- 0 0 7</u> **ENERGY DISSIPATED BY** CRUSH (kg) 80 62 RECONSTRUCTION (01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL 63 64 (21) RECONSTRUCTED, LOW **CONFIDENCE LEVEL** (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ **OVERRIDE** (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT
(10) OTHER: Veh (A) towing Tracks (11) AT LEAST ONE VEHICLE **BEYOND SCOPE** (12) OTHER VEHICLE NOT INSPECTED MODE (1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC 65 (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM SPECIFY:_

Duplicate columns 1-8 from the previous card.

CRASH RECONSTRUCTION for EBS

CR-2

montate provides date.		to	r EBS	
	CASE VEHICLE P		CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
EBS (km/h) TOTAL	<u>O</u> <u>1</u> <u>9</u>	$\frac{0}{32} \frac{2}{33} \frac{4}{34}$	48 49 50	66 67 68
LONGITUDINAL*	$\frac{-0}{17}$ $\frac{9}{20}$	$\frac{-}{35}$ 0 1 $\frac{2}{38}$	51 54	69 72
LATERAL* *NOTE: THESE EBS COMPONENTS	<u>+ 003</u>	$\frac{-0}{39}$ $\frac{2}{42}$	55 58	73 — 76
MUST INCLUDE SIGN. EXAMPLES: 10 km/n = ± 0 1 0	-			
= 20 Z				
ENERGY DISSIPATED BY CRUSH (kj)	<u>o</u> <u>o</u> <u>4</u> <u>4</u>	0 0 5 2	59 62	77 80
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	2 2		63 64	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER:				
(11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED			- '	
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	2 31		6 5	
COMPUTER PROGRAM SPECIFY: WINSMASH				

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>3</u>

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.


CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
	Begin 27 cm Et of Lt Ft BC	Ft Bumpon BC to BC
	•	



DL <u>153</u> UDL 27

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each		le below is a s	separate rec				umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	<u>Direct</u> Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	С3	C ₄	C ₅	C ₆	±D
1		153	23	180	25	13	23	18	17	38	+13
			-1		-23	-4	-1	-1	-4	-23	
					-						
1	l	153	022	180	002	0 09	022	017	013	015	+01
13	14	15 16 17	18 19 20	21 22 23		27 28 29		33 34 35		39 40 41	42 43 44
2											

Duplicate columns 1-8	
from the previous card.	

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u> 10 11 12

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR

3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
,	103 cm Rega of Rt ft Axle	94cm rega of at ft Axle
-		



DL _____

UDL .

PLANE:

- (1) Bumper
- (2) Above Bumper

NOTE: Each line in the table t

- (3) Sill
- (4) Above Sill
- (5) Other_
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

		line in the tab		separate rec	ord (card).	Du	plicate coll	<u> 1 - 1 2 mm</u>	2 for each	complete	d line.
Specific Tempact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
1	4	199	46	208	0	20	37	14	5	0	+74
	-				-						
1	4	199	046	208	000	020	037	014	005	000	1074
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8 Module W T from the previous card. 9 10	Format <u>0</u>		WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	0 13 0 0 0	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF \(\frac{L}{25} \) \(\frac{T}{24} \) \(\frac{T}{5} \) \
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	<u>4</u> 4 <u>20</u>	LR ¥
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 3 3 24	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:			-

Duplicate columns 1-8 Module F T Format from the previous card.	0 <u>1</u>	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
MAIN TANK LOCATION	32Z 14 16	AUXILIARY TANK LOCATION	888
MAIN FILLER CAP LOCATION	<u>3</u> <u>1</u> <u>3</u>	AUXILIARY FILLER CAP LOCATION	888 25 27
MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	<u>8</u>

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.

 $\frac{0}{13}$

		11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15	<u>-</u>	_			21
#2	22 23			_		29
#3	30 31					37
#4	38 39					45
#5	46 47					53

I LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO

 CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y. F. & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format 0 11 11 11 11 11 11 11 11 11 11 11 11 1	1 12	FIRE	FR-1				
WAS THERE FIRE IN OR ON CASE VEHICLE? (0) NO <u>SKIP PAGE</u> . (1) YES <u>COMPLETE PAGE</u> .							
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16				
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17				

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module E D Format (from the previous card. 9 10 11	1 12	EXTERIOR DAMAGE	ED-1
HOOD PERFORMANCE FOR THE FOLLOWING, USE CODES:		STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE (0) NONE (1) FLEXIBLE MATERIAL	9
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN HOOD LATCH(ES)RELEASED	<u>o</u>	(2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OTHER: (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	26
-DAMAGED			
-JAMMED	14 15	COUPLINGDAMAGED (USE CODES FROM HOOD	9 27
HOOD HINGESLEFT, DAMAGED	<u>O</u>	PERFORMANCE) -SEPARATED (COMPLETE)	<u>9</u> 28
-LEFT, SEPARATED (COMPLETE)	8		
-RIGHT, DAMAGED	0	ENG COMPART TELESCOPING UNIT	
-RIGHT, SEPARATED (COMPLETE)	0 16 8 17 0 18 19	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED	8 8
HOOD REMAINED ON VEHICLE	1 20	(97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	29 30
REAR EDGE OF HOODELEVATED	<u>0</u>	ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIELD	$\frac{\mathcal{O}}{22}$	F (OR H):	
-PENETRATED WINDSHIELD	<u>F</u>	TELESCOPED LENGTH (mm) G:	
HOOD LATCH LOCATION			
(1) FRONT OF VEHICLE(2) COWL AREA(3) SIDE(8) NOT APPLICABLE(9) UNKNOWN	1/24	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.) (888) NOT COLLECTED	
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN	<u>)</u>	(991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 33

		Exterior Damage	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER	D 35	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	
LOWER	<u>O</u>	-FRON -REAR	
-B-PILLAR, UPPER	8 37		44
LOWER	8 ⁄38	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES	
-C-PILLAR, UPPER	$\frac{\mathcal{O}}{39}$	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	<u>O</u>	-FRON' -REAR	45
-D-PILLAR, UPPER	<u>8</u> ′		46
LOWER	42	<u>-</u>	

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS)	<u>o</u>	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES	8
 (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE 	47	(8) NOT APPLICABLE (9) UNKNOWN	
(5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION	8 51
Hatchback States		 (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN 	
Two-way or or		TRAILER HITCH TYPE	
Clamshell		(0) NO HITCH BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G.	52
Single door		RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING	
HOW DID DOOR		OTHER TYPES (5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
OPEN DURING COLLISION? (0) DOOR DID NOT OPEN OPENED BECAUSE OF	9	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER	4 / ₅₃
(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOOR JAMMED CLOSED		(5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	
(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	49		

		EXTERIOR DAMAGE I	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>Ø</u> 55	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNOWN	
LOWER	<u>D</u> 56	-FRONT -REAR	63 64 63 64
-B-PILLAR, UPPER	₹ 57	DOORS JAMMED CLOSED-	
LOWER	8 58	USE CODES:	
-C-PILLAR, UPPER	O 59	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	$\frac{\mathcal{O}}{\infty}$	-FRONT	<u>67</u>
-D-PILLAR, UPPER	<u>8</u>	-REAR	68
LOWER	<u>8</u>	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>8</u>

EXTERIOR DAMAGE ED-5 WINDSHIELD DAMAGE WINDSHIELD MARK ON CASE VEHICLE: WINDSHIELD CRACKED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO SAFEGUARD (1) YES **DOT-21 CC M54 T AS1 8** (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT 43R-00112 8 (0) NO (1) YES (8) NOT APPLICABLE WINDSHIELD CODE (9) UNKNOWN M A 75 (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) **EXTENT OF BOND SEPARATION** (99) UNKNOWN 0 (0) NONE Roof (1) 1 - 20% 73 (2) 21 - 40 (3) 41 - 60 DID T-ROOF/SUN ROOF OPEN DURING COLLISION? (4) 61 - 80 (5) 81 - 99 (6) TOTAL (0) NO 8 (7) SEPARATED, AMOUNT (1) YES UNKNOWN (8) NOT APPLICABLE (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE. R

Duplicate columns 1-8 Module S C Format 0 from the previous card. 9 10 11	1 12	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	13	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AHEAD) O'CLOCK = 1	
STEERING WHL SPOKE DAMAGE (0) NONE(1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>Q</u>	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	<u>3</u>	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>Q</u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>₹</u>	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)	
ENERGY ABSORBING DEVICE		O LEE MINE VIII LEE (OCKNINGED)	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	<u>O</u> 33
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27	4	
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8	_	
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>O</u>		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	⊘ 32		


	-		
,-			
	•		
		-	

INTRUSION IT-1

		(All Me	Dominant				
Location of		Comparison		Intruded	=		Crush
Intrusion	Intruded Component	Value		Value		Intrusion	Direction
			_		=		
			_		=		
			_		=		·
			_		=		· · · · · · · · · · · · · · · · · · ·
			_		=		
			_		=		
			_		=		
							
					=		
					=		
	<u> </u>				=		
	occ	UPANT CONT	ГАСТ	WORKSHE	EET		

					Confidence
_	Interior	Occupant	Body		Level of
	Component	No. if	Region		Contact
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Point
Α	Knee bolster	Driver	Lt. leg	Scuff mark	1
В	Knee bolster	Driver	Lt. leg	Scuff mark	1
C	Knee bolster	Driver	Rt. leg	Scuff mark	1
D	Knee bolster	Driver	Rt. leg	Scuff mark	1
E	Glove box	Right front	Lt. knee	Scuff mark	1
F	Glove box	Right front	Rt. knee	Scuff mark	1
G					
Н					
ı					
J					
K					
L					
М					

VEHICLE OCCUPANT CONTACT DIAGRAM



Intrusion IT-3

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1)	LEFT	(3) RIGHT	•••••		INDIVIDUAL SEAT
(1)	LEFT	(2) CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT	(2) LEFT CENTER	(6)	RIGHT (3) RIGHT CENTER	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2) CENTER	(5)	RIGHT &	BENCH: PARTIAL WIDTH, LEFT
(0)	LEFT & SPACE	(2) CENTER	(5)	RIGHT &	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE \	EHICLE WIDTH		••••••	CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY

X			Х	11			13	
X	X	X				21	22	25
X	X	X				31	32	35
X	x	X	X	41	42	46	43	

CODES FOR COLUMN F, MEASUREMENT AXIS

- (X) X-AXIS (FORE & AFT)
- (Y) Y-AXIS (LATERAL)
- (Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

INTRUSION IT-4

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (10) WINDOW (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER
 A-PILLAR
 - ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL
 - A-PILLAR
 WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL
 - A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR
- DOOR FRAME
- (56)ROOF RAIL A-PILLAR B-PILLAR WINDOW FRAME
- (57)ROOF RAIL
 A-PILLAR
 B-PILLAR
 C-PILLAR
 DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR
 - THIRD SEAT-BACK

- (60)ROOF ROOF RAIL A-PILLAR B-PILLAR C-PILLAR WINDOW FRAM
- WINDOW FRAME DOOR PANEL FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL ROOF
- (62)ROOF
 ROOF RAIL
 C-PILLAR
 WINDOW FRAME
 FLOOR PAN
 SECOND SEAT
 DOOR PANEL
- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module from the previous card.	1 T Format 0 1 12		ir	NTRUSION	IT-5
WAS THERE OCCUPANT COM (0) NO <u>DO NOT</u> ANSWER NEX (1) YES <u>ANSWER</u> NEXT QUEST (9) UNKNOWN <u>SKIP PAGE</u> .	T QUESTION. <u>SKIP PAGE</u> .	Q WA	S INTRUSION CAT (0) NO <u>COMPLETE</u> (1) YES <u>SKIP</u> PAG	PAGE.	14
from the previous card. NOTE: Each line in the table below		-	- 12 for each complet		
CODES F	TRUSIONS IN THIS ORDER: LEIFOR B, F, G, H, I, J ON PAGE IFOR C ON PAGE IT-4		N ROW; FRONT TO B		ES.
	D E F ASSOC. MAXIMUM MAXIMUM EVENT INTRUSION INTRUSION NO. X AXIS (cm) Y AXIS (cm)		H I OCCUPANT INJURY NUMBER NUMBER	1	K INJURY NUMBER
13-14 15-16 17-18	19 20-21 22-23	24-25	26-27 28-29	30-31	32-33
0 1 0 2 0 3 0 4 0 5 0 6 0 7 NOTE: USE ADDITIONAL PAGE IF MORE THAT Duplicate columns 1-8 from the previous card. Module 1					
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM INTRUSION NUMBER CAUSE CODES FOR CAUSE: 13 15 (1) DIRECT IMPACT IMPACT 16 18 (2) INDUCED DAMAGE 19 21 (9) UNKNOWN	DOOR INTRUS	DOOR COM ION, CODE C DAMAGED DMPONENT 1	PONENT RESULT COMPONENT DAMAGED COMPONENT 2 25 29 33 37	CODES FOR COMPONE (0) NONE (1) A-PILLAR (2) B-PILLAR (3) C-PILLAR (4) LATCH/STRI (5) HINGES (7) OTHER: (8) NOT APPLIC (9) UNKNOWN	ENTS IKER

Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>T</u> Format <u>0</u> <u>2</u> 11 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

				N PAGE 11-4	,		OCCUPA	NI CONTACT	AND INJURY	
A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT			F MAXIMUM INTRUSION Y AXIS (cm)		H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8										
0 9										
1 0										
1 1										
1 2										
<u>1</u> <u>3</u>										
1 4										
<u>1</u> <u>5</u>										
<u>1</u> 6										
1 7						 -				
. 1_8			_		 .					
<u>1</u> 9										
2 0										
2 1										
22										
2 3			_							
2 4			_							
2 5										

^{*} MORE THAN ONE ITEM MAY BE NOTED.


Duplicate columns 1-8 Module S T from the previous card. 9 10		2 12	SEATS		ST-1
FRONT SEAT	DRIVER	PASSENT	FRONT SEAT-BACK	DRIVER	Passen'r
TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER:	O 5	15 16	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	3 30	31
(99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	1 33
SWIVEL MECHANISM EQUIPPED - (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	1 34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	7 22	RECLINER MECHANISM HELD (0) NO		
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>&</u>	8 24	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	25	26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	2 38	39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	<u>£</u>		(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN ADJUSTMENT AT CRASH	8 €	8 41
FRONT SEAT ROTATION (0) NONE APPARENT	_0	<u>ə</u>	(1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	<u></u>	43
(1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	0 44	<u>D</u>

•

			Se	EATS S	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSEN'R	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	1	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	<u>\$</u>	50
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	-	49	SECOND SEAT-BACK LOCKS	LEFT	RIGHT
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9)-UNKNOWN	<u>O</u> 50	51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	·	•
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	8 52	<u>%</u>	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	8 61 8 63 8	8 62 8 64 8
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	<u>3</u>	3 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	67	68
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Rіgнт	EQUIPPED	<u>Q</u>	70
(0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT	<u>{</u>		BACKREST DAMAGED CUSHION DAMAGED	71 8 73	8 72 8 74
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	58	⊘ 59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	7.	<u>)</u>


Duplicate columns 1-8 Module A B Format C from the previous card.		AIRBAG /	4B-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	16
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>Q</u>	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDINGT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>Q</u> 18
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE	<u></u>	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE	21

AIRBAG AB-2 AIRBAG NUMBER ON DRIVER SIDE: Driver Airbag **Driver Airbag Doors**



if yes, how many: 2 if yes, how many: _

AIRBAG NUMBER ON PASSENGER SIDE:



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 11 11 11 11 11 11 11 11 11 11 11 11 1	2 12	OCCUPANT INFORMATION (OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	O 1 13 14	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	2 5 22 23
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN HEIGHT (cm) (999) UNKNOWN (6 ft, 3 in) SEX (1) MALE (2) FEMALE (9) UNKNOWN	$ \frac{1}{24} \frac{0}{25} \frac{2}{26} $ $ \frac{1}{27} \frac{9}{28} \frac{1}{29} $ $ \frac{1}{30} $
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA	<u>O</u> 2
POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT	18 19	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN	0 3 34
(50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN		NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	35


		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 41 42
RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DOT DEPLOYED (3) AIRBAG NOT REINSTALLED	3 37 38 2 40	EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9 8 44 45
(4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	9 47	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	48

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.





INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

						PRIM	ARY (DIC		A	SSOC	IATE	OIC		COMMENT
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START V IN 1ST C	BILITY (HORI WITH MOST . CONTACT AF	N ORDER OF IZONTALLY) . PROBABLE REA COLUMN. LE CONTACT	BODY REGION 1	ASPECT Q	C NOISE	SYSTEM/ORGAN 4	SEVERITY 10	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
01	01	98			N	<u>P</u>	1	M	1	_		_		_	
1	02	98			B	<u>5</u>	<u>T</u>	M	1					_	
-	03	<u>98</u>			B	I	<u>T</u>	M	1	_	_		_	_	
					_				_	_	_	_	_	-	
					-				-	_	_		_	-	
					_	_	_		-	_			_	-	
			1		-	_		_	-	_		_	_	-	
line.					-			_	-	_	_				
for each					_	_		_	-	_	_		_	-	
Number					_			_	-	_			_	-	
Occupant					-		— ,	_	`	_				-	
Duplicate "Occupant Number" for each line.					_	_	_	_	-	_	_		_	-	
<u> </u>								_	_	_	_	_		-	
					_					_		_		-	
						_	_	_		_			_		
										_					
					_			_							

INJURY CLASSIFICATION IC-2

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

EDONT	OF PASSENGER COMPARTMENT	Since	
		SIDES	OUDE LOS OS OUDE INSTERNAD
	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	HARDWARE ON SIDE OR DOOR
		(13)	ARMREST ON SIDE OR DOOR
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)		
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	
(,		(15)	
- (57)	BENEATH INSTRUMENT PANEL	, ,	C-PILLAR
(53)	PARCEL TRAY	(17)	
	KNEE RESTRAINT	(17)	D-FILLAN
(48)		FLOOR	
(86)	VERTICAL CONSOLE		E 00B
	TO ST. CONTROL O. (INC). DADI/INC BRAI/E DEDAL	(40)	
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
		(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	· (91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		
` ,		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	ROOF SIDE RAIL
	PARKING BRAKE HANDLE IN FRONT	(24)	
(84)			
(67)	IGNITION KEY	(18)	
(06)	MIRROR	(39)	
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	_	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
	REAR WINDOW	()	OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)		(63)	TRUNK LID OF CASE VEHICLE
(30)	ALAN SEAT COCHICIT & BACK	(64)	TIRES OF CASE VEHICLE
INTERIOR	R-GENERAL	(04)	TIMES OF CASE VEHICLE
		BEVOND	CASE VEHICLE BOUNDARY
(11)			
(59)	TRANSMISSION LEVER ON STEERING COLUMN		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
_ (84) _			OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)		(77)	TIRES OF OTHER VEHICLE
(50)		(78)	GROUND
	ARMREST ON SEAT	(79)	WATER
(89)		(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
(69)	ONDER SEXT BOTTOM	(80)	• • • • • • • • • • • • • • • • • • • •
(00)	DECEDABLE OVETEN HADDWADE		OR WATER. PLEASE DESCRIBE.)
(33)		Deve	ATING OR ISSTE
(34)			ATING OBJECTS
(87)			OTHER VEHICLE
(47)	• • • •	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS		
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT	(00)	NO CONTACT (INVALID FIELD FORM CODE)
(42)	CHILD SEAT RESTRAINTS	(38)	OTHER (E.G. FIRE. DESCRIBE)
(43)	CHILD SEAT	(90)	SPARE TIRE
	INTERIOR LOOSE OBJECT	(96)	
	OTHER OCCUPANT(S)	(97)	
(52)		(98)	
(41)		(30)	HYPEREXTENSION/COMPRESSION
(**)		(99)	
		()	

INJURY CLASSIFICATION IC-3 THE FIGURE BELOW IS AN EXPLANATION OF THE <u>BODY REGION</u> CODES LISTED ON PAGE IC - 4. ____(H) HEAD ___ (F) FACE --- (N) NECK --(S) SHOULDER __ (BS) THORACIC SPINE -(C) CHEST (A) UPPER ARM (E) ELBOW (R) FOREARM (W) WRIST . (W) HAND (BI) LUMBAR SPINE (M) ABDOMEN (P) PELVIS THIGH -(K) KNEE-(L) LOWER LEG -(Q) ANKLE -(Q) FOOT-

INJURY CLASSIFICATION IC-4

(5) CRITICAL

(6) MAXIMUM

(9) UNKNOWN

	CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)							
1	BODY REGION	3	LE	1012	J	4	SYSTEM/ORGAN	
	(H) HEAD/SKULL		(L)	LACE	ERATION		(S) SKELETAL	
	(F) FACE		(C)	CON	TUSION		(V) VERTEBRAE	
	(N) NECK		(A)	ABR	ASION		(J) JOINTS	
	(S) SHOULDER		(F)	FRAC	CTURE		(D) DIGESTIVE	
	(X) UPPER EXTREMITIES		(P)		FORATION, CTURE		(L) LIVER	
	(A) ARM (UPPER)		(14)		CUSSION		(N) NERVOUS SYSTEM	
	(E) ELBOW				SION		(B) BRAIN	
,	(R) FOREARM						(C) SPINAL CORD	
	(W) WRIST/HAND				TURE		(E) EARS	
	(C) CHEST			SPR/			(O) EYES	
	(M) ABDOMEN		•	CRUS	OCATION		(A) ARTERIES	
	(B) BACK				UTATION		(H) HEART	
	(P) PELVIC/HIP		` '	BURN			(Q) SPLEEN	
	(Y) LOWER EXTREMITIES				CHMENT,		(G) UROGENITAL	
	(T) THIGH				RATION		(K) KIDNEYS	
	(K) KNEE				TURE AND		(R) RESPIRATORY	
	(L) LEG (LOWER)	,		STRA			(P) PULMONARY/LUNGS	
	(Q) ANKLE/FOOT				L SEVERANCE,		(M) MUSCLES	
-	(O) WHOLE BODY				ISECTION		(T) THYROID, OTHER ENDOCRINE GLAND	
	(U) UNKNOWN		(O)	OTHE	ER .		(I) INTEGUMENTARY (SKIN)	
			(U)	UNKN	IOWN		(W) ALL SYSTEMS IN REGION	
							(U) UNKNOWN	
							(O) DIARIOWIA	
2	ASPECT			-		5	SEVERITY	
	(R) RIGHT	B		SYS			(OR "AIS", ABBREVIATED INJURY SCALE)	
	(L) LEFT	Ϋ́		TEN	တ		(0) NONE	
	(B) BILATERAL	ASPECT BODY REGION	LES	SYSTEM/ORGAN	SEVERITY		(1) MINOR	
	(C) CENTRAL	δ C	LESION	GAN	411		(2) MODERATE	
	(A) ANTERIOR/FRONT	1 2	3	4	5		(3) SERIOUS	
	(P) POSTERIOR/BACK						(4) SEVERE	

(S) SUPERIOR/UPPER

(I) INFERIOR/LOWER

(W) WHOLE REGION

(U) UNKNOWN


Duplicate columns 1-8 Module O C Format 0 from the previous card.	2 12	OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION		PHYSICAL DESCRIPTION	
OCCUPANT NUMBER	<u>0</u> 2	AGE IN YEARS (00) LESS THAN 1 YEAR	1_1_
ROLE OF OCCUPANT AT 1ST IMPACT		(98) 98 YEARS OR OLDER (99) UNKNOWN	20
(1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	15	AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	2 3
^		MASS (kg)	6.6
OCCUPANT POSITION		(999) UNKNOWN	9 9 25
ROW LOCATION		HEIGHT (cm)	
(1) FRONT (2) SECOND (3) THIRD	16	(999) UNKNOWN	$\frac{q}{27}\frac{q}{28}$
(4) FOURTH		SEX	,
(7) OTHER:		(1) MALE (2) FEMALE (9) UNKNOWN	30
LATERAL LOCATION		MEDICAL CONDITIONS	
	5	TREATMENT/MORTALITY	
(1) LEFT (2) LEFT CENTER	5	(00) NONE (01) FIRST AID AT SCENE	31
(3) CENTER (4) RIGHT CENTER		(02) TREATED AT HOSPITAL/CLINIC	"
(5) RIGHT		BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION	
(6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER	1	LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS	
COMPARTMENT	l	OR FOR SIGNIFICANT TREATMENT	
(9) UNKNOWN	į	(05) FATAL, DEAD AT SCENE (06) FATAL, DOA	
POSTURE		(07) FATAL, DEAD WITHIN 24 HOURS	
POSTURE	, ,	(08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER	
(10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL	$\frac{1}{18} \frac{0}{19}$	(09) FATAL, DEAD 31 DAYS TO	
POSITION (E.G. FEET ON DASH,	18 19	1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN	ļ
SIDEWAYS) (12) SITTING ON CONSOLE	1	PERIOD (99) UNKNOWN	
(20) ON LAP OR IN ARMS	İ		
(30) STANDING ON SEAT (40) STANDING ON FLOOR		INJURY SEVERITY SCORE (ISS)	
(47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET		(99) UNKNOWN	33 3
(60) IN CHILD SEAT	[NON-IMPACT MED. CONDITIONS	
(65) IN CHILD HARNESS (70) LYING ON SEAT		(0) NONE (1) YES, TIME & TYPE UNKNOWN	0
(80) LYING/SITTING ON PASSENGER		(2) PRE-CRASH FATAL (CLINICAL	35
FLOOR (83) LYING/SITTING ON OTHER		DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL <i>(E.G.</i>	
OBJECT IN PASSENGER COMPARTMENT:		PRIOR INJURY, STROKE)	
(85) ON CARGO FLOOR/FOLDED		(4) PREGNANT (5) POST-CRASH FATAL (DROWNING)	
SEAT-BACK (87) LYING/SITTING, EXTERNAL TO		(6) POST-CRASH NON-FATAL INJURY	
()		(7) OTHER:	1
PASSENGER COMPARTMENT (97) OTHER:		(8) COMBINATION OF ABOVE (CIRCLE EACH)	İ

		Occupant Information	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O · NO INJURY (1) C · POSSIBLE INJURY (2) B · NON-INCAPACITATING (3) A · INCAPACITATING INJURY (4) K · FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN		CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	41 42
RESTRAINT SYSTEM ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE	3	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED	<u>Q</u>
(0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO	3 38	AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9 8 45
WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED	39 2 40	IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:	
(4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	

		OCCUPANT INFORMATION (OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (B) NOT APPLICABLE (9) UNKNOWN	4 47	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	1 48

-

INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

						PRIM	IARY (OIC		A	ssoc	IATE	OIC		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START I IN 1ST C	BILITY (HOR WITH MOST CONTACT AI	IN ORDER OF IZONTALLY). PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION (7)	SYSTEMORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT Q	LESION 3	SYSTEMORGAN 4	SEVERITY LO	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
02	01	20			R	R	a	I	1		_	_	_	_	
	02	02			K	<u>_</u>	<u>A</u>	I	1	_	_	_	_	_	
					-			_	-	_		_		_	
					-	_	_		_	_				-	
					-	_	_		-	_	_	_	_	_	
					-		_		-	_	_			-	
					-		*******	_	-	_	_	_	_	-	
- <u>3</u> -					-	_	_		-	-	_	_		-	
for each					-	-		_	-	-			_	-	
Number					-	_	_		-	-	_	_		-	
ite "Occupant Number" for each line.					-	_	_	_	-	-		-	_	-	
Duplicate "C					_	_	*****	_	-	-		_			
ă 					_	_		_	-	-			_	-	
				-	_	_			-	-	_		_	-	
					_				-	-	_	_	_	-	
					-	_	_	_	-	_	_			-	
					-	_				_	_	_	_	-	
					_	_			-	-			_	_	

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
	SUNVISOR, FITTING(S) WOR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	
		(13)	ARMREST ON SIDE OR DOOR
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)		
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA		ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	• •	A-PILLAR
/ET	BENEATH INSTRUMENT PANEL	• •	B-PILLAR
(57) (53)	PARCEL TRAY	• • •	C-PILLAR
(48)	KNEE RESTRAINT	(17)	D-PILLAR
(86)	VERTICAL CONSOLE	FLOOR	
(55)			FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)		CONSOLE ON FLOOR OR BETWEEN SEATS
	,		TRANSMISSION LEVER ON FLOOR OR CONSOLE
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)		PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL		FOOT CONTROLS (INCL PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN	• •	
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	
(82)	INSTRUMENT(S)	(10)	
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	
(84)	PARKING BRAKE HANDLE IN FRONT	` '	COAT HOOK
(67)	IGNITION KEY MIRROR	(18)	
(06) (04)	HEATER OR AIR CONDITIONING DUCTS	, ,	BACKLIGHT HEADER
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(68)	
(08)	RADIO (BUILT IN)	(69)	ROLL BAR
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
• •		(0.7	(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
1	Course	(64)	TIRES OF CASE VEHICLE
	R-GENERAL TRANSMISSION SELECTION LEVER (LOCATION UNK.)	Descent	Over Venez - Berning
(11) (59)			CASE VEHICLE BOUNDARY
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(70) (71)	HOOD OF OTHER VEHICLE OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT	(/1)	OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)		(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
	REAR SEAT CUSHION & BACK	(78)	GROUND
	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
			OR WATER. PLEASE DESCRIBE.)
	RESTRAINT SYSTEM HARDWARE	_	
	RESTRAINT SYSTEM WEBBING		ATING OBJECTS
	AIR CUSHION SKIN (AIRBAG)		OTHER VEHICLE
	AIRBAG (ACRS) COMPARTMENT DOOR/COVER AIRBAG GAS	(72)	OBJECTS (DESCRIBE)
	KNEE RESTRAINT	Minoria	ANEO: 10
	HEAD RESTRAINT	MISCELL	
	CHILD SEAT RESTRAINTS		NO CONTACT (INVALID FIELD FORM CODE)
	CHILD SEAT		OTHER (E.G. FIRE. DESCRIBE) SPARE TIRE
	INTERIOR LOOSE OBJECT	• •	INDUCED
(32)	OTHER OCCUPANT(S)		EJECTED, UNKNOWN CONTACT
(52)	INTERNAL FLYING GLASS (FROM ANY SOURCE)		IMPACT FORCE, "WHIPLASH".
(41)	UNKNOWN INTERIOR SURFACE	(55)	HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT

Section 1999

Se



























est Availab

















































t Availabl







st Available











































